

Drinking Water Quality and Compliance
Town Short Form – A Template for Annual Notice to Consumers

(Note: This short form may be used for communities or waterworks serving a population of less than 5000).

Introduction

The Water Security Agency and the Ministry of Environment requires that at least once each year waterworks owners provide notification to consumers of the quality of water produced and supplied as well as information on the performance of the waterworks in submitting samples as required by a Minister's Order or Permit to Operate a waterworks. The following is a summary of the Town of Shellbrook water quality and sample submission compliance record for the 2023 time period. This report was completed on *September 25, 2024*. Readers should refer to Water Security Agency's Municipal Drinking Water Quality Monitoring Guidelines, June 2015, EPB 502 for more information on minimum sample submission requirements and the meaning of type of sample. Permit requirements for a specific waterworks may require more sampling than outlined in the department's monitoring guidelines. If consumers need more information on the nature and significance of specific water tests, for example, "what is the significance of Selenium in a water supply", more detailed information is available from: http://www.hc-sc.gc.ca/ewh-semt/pubs/water-eau/index_e.html.

Water Quality Standards

Bacteriological Quality

Parameter/Location	Limit	Regular Samples Required	Regular Samples Submitted	# of Positive Regular Submitted (%)
Total Coliform	0 Organisms/100 mL	52	52	0
E. coli	0 Organisms/100 mL	52	52	0
Background Bacteria	Less than 200/100 mL	52	52	0

Water Disinfection –

Chlorine Residual in Distribution System for Test Results Submitted with Bacteriological Samples

Parameter	Minimum Limit	Total Chlorine Residual Range	Free Chlorine Residual Range	# Tests Required	# Tests Submitted	# Adequate Chlorine (%)
Chlorine Residual	0.1 mg/L free OR 0.5 mg/L total	0.3.7-2.20	0.15-2.20	52	52	100

Water Disinfection - Free Chlorine Residual for Water Entering Distribution System from Waterworks Records- From Water Treatment Plant Records

Parameter	Limit (mg/L)	Test Level Range	# Tests Performed	# Tests Not Meeting Requirements
Free Chlorine Residual	at least 0.1	0.15-4.34	733	0

A minimum of 0.1 milligrams per litre (mg/L) free chlorine residual is required for water entering the distribution system. Tests are normally performed on a daily basis by the waterworks operator and are to be recorded in operation records. This data includes the number of free chlorine residual tests performed, the overall range of free chlorine residual (highest and lowest recorded values) and the number of tests and percentage of results not meeting the minimum requirement of 0.1 mg/L free chlorine residual.

Turbidity – From Water Treatment Plant Records

Parameter	Limit (NTU)	Test Level Range	# Tests Not Meeting Requirements	Maximum Turbidity (NTU)	# Tests Required	# Tests Performed
Turbidity	1.0	0.11-0.97	0	0.97	365	732

Chemical – Health Category

All waterworks serving less than 5000 persons are required to submit water samples for SE's Chemical Health category once every 2 years. The Chemical Health category includes analysis for arsenic, barium, boron, cadmium, chromium, fluoride, lead, nitrate, selenium and uranium.

The last sample for Chemical Health analysis was submitted on (January 25, 2023). Samples exceeded provincial water quality standards for the following parameters: (Chlorate)



**Saskatchewan
Ministry of
Environment**



Parameter	Limit MAC(mg/L)	Limit IMAC (mg/L)	Sample Result(s)	# Samples Exceeding Limit
Arsenic	0.010		0.00050	
Barium	1.0		0.00700	
Boron		5.0	0.828	
Bromate	0.01		<0.00176	
Cadmium	0.005		<0.000250	
Chlorate	1.0		1.46	Exceed
Chlorite	1.0		<0.050	
Chromium	0.05		<0.00050	
Fluoride (avg*)	1.5		<0.40	
Lead	0.01		<0.000250	
Nitrate (avg.*)	45.0		<0.400	
Selenium	0.01		<0.000250	
Uranium	0.02		0.000177	

* Results expressed as average values for communities or waterworks that fluoridate drinking water supplies or those with elevated concentrations of fluoride or nitrates.

Chemical – Trihalomethanes (THMs) and Haloacetic Acids (HAAs)

Parameter	THMs Limit (mg/L)	Sample Result (average)	# Samples Required	# Samples Submitted
Trihalomethanes	0.1	N/A	4 (1 every 3 months)	N/A
Haloacetic Acids	0.08	N/A	4 (1 every 3 months)	N/A

Note: Only water supplies derived from surface water or groundwater under the influence of surface water are required to monitor for THMs and HAAs. Waterworks using groundwater sources beyond the influence of surface water do not need to report THMs or HAAs since sampling/analysis will not likely have been performed unless otherwise noted in the waterworks permit to operate

General Chemical

Parameter	Aesthetic Objectives * (mg/L)	Sample Results (average)	# Samples Required	# Samples Submitted
Alkalinity	500	363	1	1
Bicarbonate	No Objective	443	1	1
Calcium	No Objective	102	1	1
Carbonate	No Objective	<1.0	1	1
Chloride	250	489	1	1
Conductivity	No Objective	3530	1	1
Hardness	800	443	1	1
Magnesium	200	49.2	1	1
PH	No Objective	7.94	1	1
Sodium	300	705	1	1
Sulphate	500	757	1	1
Total dissolved Solids	1500	2320	1	1

All waterworks serving less than 5000 persons are required to submit water samples for SE's General Chemical category once every two years if a ground water source and once per three months every second year if a surface water or blended surface/groundwater source. The General Chemical category includes analysis for alkalinity, bicarbonate, calcium, carbonate, chloride, conductivity, hardness (as CaCO₃), magnesium, sodium, sulphate and total dissolved solids.

The last sample for General Chemical analysis was submitted on (January 25, 2023) Samples exceeded provincial aesthetic objectives for the General Chemical category for the following parameters: (Chloride, Sodium, Sulphate and TDS).



Saskatchewan
Ministry of
Environment



*Objectives apply to certain characteristics of or substances found in water for human consumptive or hygienic use. The presence of these substances will affect the acceptance of water by consumers and/or interfere with the practice of supplying good quality water. Compliance with drinking water aesthetic objectives is not mandatory as these objectives are in the range where they do not constitute a health hazards. The aesthetic objectives for several parameters (including hardness as CaCO₃, magnesium, sodium and total dissolved solids) consider regional differences in drinking water sources and quality.

More information on water quality and sample submission performance may be obtained from:

Town of Shellbrook
Box 40, Shellbrook, SK S0J 2E0
(306) 747-4900
townoffice@townofshellbrook.ca

June 2015 EPB 536D



**Saskatchewan
Ministry of
Environment**



2023 Bacteriological Samples Town of Shellbrook

- January 3,9,16,23,31
- February 6,14,21,27
- March 6,13,20,27
- April 3,11,17,26
- May 1,8,15,23,29
- June 5,13,19,27
- July 4,10,17,25
- August 1,8,14,22,29
- September 5,11,21,25
- October 2,10,16,23,30
- November 6,14,21,27
- December 4,11,19,27

Bromate monthly samples 2023

January 8, February 6, March 6, April 3, May 1, June 5, July 4,
August 11, September 5, October 2, November 6, December 4

CERTIFICATE OF ANALYSIS

<p>Work Order : SK2300332</p> <p>Client : Town of Shellbrook</p> <p>Contact : Karlina Cadieu</p> <p>Address : 71 Main Street PO Box 40 Shellbrook SK Canada S0J 2E0</p> <p>Telephone : 306-747-4900</p> <p>Project : Waterworks- Gen Chem/Health & Toxicity</p> <p>PO : SK05GF0003</p> <p>C-O-C number : -----</p> <p>Sampler : AB</p> <p>Site : -----</p> <p>Quote number : -----</p> <p>No. of samples received : 1</p> <p>No. of samples analysed : 1</p>	<p>Page : 1 of 5</p> <p>Laboratory : Saskatoon - Environmental</p> <p>Account Manager : Kimberley Head</p> <p>Address : 819 58 Street East Saskatoon SK Canada S7K 6X5</p> <p>Telephone : +1 306 668 8370</p> <p>Date Samples Received : 30-Jan-2023 08:00</p> <p>Date Analysis Commenced : 30-Jan-2023</p> <p>Issue Date : 03-Feb-2023 13:20</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- **General Comments**
 - **Analytical Results**
- Additional information pertinent to this report will be found in the following separate attachments: **Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).**

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Colby Bingham	Laboratory Supervisor	Inorganics, Saskatoon, Saskatchewan
Colby Bingham	Laboratory Supervisor	Metals, Saskatoon, Saskatchewan
Greg Pokocky	Supervisor Inorganic	Inorganics, Waterloo, Ontario
Hedy Lei	Team Leader - Inorganics	Inorganics, Saskatoon, Saskatchewan
Janiko Lindain	Laboratory Assistant	Metals, Saskatoon, Saskatchewan
Justin Jackson	Laboratory Analyst	Metals, Saskatoon, Saskatchewan
Kimberly Hanson	Laboratory Analyst	Metals, Saskatoon, Saskatchewan



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances

LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
%	percent
µS/cm	microsiemens per centimetre
mg/L	milliequivalents per litre
mg/l	milligrams per litre
pH units	pH units

<: less than.
 >: greater than.
 Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.
 UNLESS OTHERWISE STATED ON SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
DLDS	Detection Limit Raised: Dilution required due to high Dissolved Solids / Electrical Conductivity
SFP	Sample was filtered and preserved at the laboratory



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID SK05GF0003
 WTP Routine

Client sampling date / time 25-Jan-2023 13:35

Analyte	CAS Number	Method	LOR	Unit	Result	Units	Pass/Fail	Notes	
Physical Tests									
Hardness (as CaCO3), dissolved		EC100	0.50	mg/L	443				
Conductivity		E100	2.0	µS/cm	3530				
pH		E108	0.10	pH units	7.94				
Alkalinity, bicarbonate (as HCO3)	71 52 3	F290	1.0	mg/L	443				
Alkalinity, carbonate (as CO3)	3812 32 6	E290	1.0	mg/L	<1.0				
Alkalinity, hydroxide (as OH)	14280-30-9	E290	1.0	mg/L	<1.0				
Alkalinity, total (as CaCO3)		E290	2.0	mg/L	363				
Soilids, total dissolved [TDS], calculated		EC103	1.0	mg/L	2320				
Anions and Nutrients									
Chloride	16987-00-6	E235 Cl	0.50	mg/L	489				
Fluoride	16984 48 8	E235 F	0.020	mg/L	<0.100	0.05			
Nitrate (as N)	14797 55 8	E235 NO3	0.020	mg/L	<0.400	0.05			
Nitrite (as N)	14197-65-0	E235 NO2	0.010	mg/L	0.210				
Sulfate (as SO4)	14808-79-8	E235 SO4	0.30	mg/L	757				
Nitrate + Nitrite (as N)		EC235.N+N	0.0500	mg/L	<0.447				
Inorganics									
Chlorite	14998-27-7	E409 ClO2	0.010	mg/L	<0.050	0.05			
Ion Balance									
Anion sum		EC101	0.10	meq/L	36.8				
Cation sum		EC101	0.10	meq/L	38.5				
Ion balance (APHA)		EC101	0.01	%	2.26				
Ion balance (cations/anions)		EC101	0.010	%	105				
Total Metals									
Aluminum, total	7429-90-5	E420	0.0030	mg/L	<0.0150	0.05			
Antimony, total	7440-36-0	E420	0.00010	mg/L	<0.00050	0.05			
Arsenic, total	7440 38 2	E420	0.00010	mg/L	<0.00050	0.05			
Barium, total	7440-39-3	L420	0.00010	mg/L	0.00700				
Beryllium, total	7440-41-7	E420	0.000020	mg/L	<0.000100	0.05			
Bismuth, total	7410 69 9	E420	0.000050	mg/L	<0.000250	0.05			



Analytical Results

Sub-Matrix: Water (Matrix: Water) Client sample ID SK05GF0003 WTP Routine

Client sampling date / time 25 Jan 2023 13:35

Analyte	CAS Number	Method	LOR	Unit	Result		Result	Result	Result	Result
					Result	Result				
Total Metals										
Boron, total	7440-42-8	E420	0.010	mg/L	0.828	u.s.	*****	*****	*****	*****
Cadmium, total	7440-43-9	E420	0.000050	mg/L	<0.0000250	u.s.	*****	*****	*****	*****
Calcium, total	7440-70-2	F420	0.050	mg/l	102	u.s.	*****	*****	*****	*****
Cesium, total	7440-46-2	E420	0.000010	mg/L	<0.000050	u.s.	*****	*****	*****	*****
Chromium, total	7440-47-3	E420	0.00050	mg/l	<0.00050	u.s.	*****	*****	*****	*****
Cobalt, total	7440-48-4	E420	0.00010	mg/l	<0.00050	u.s.	*****	*****	*****	*****
Copper, total	7440-50-8	E420	0.00050	mg/l	0.0402	u.s.	*****	*****	*****	*****
Iron, total	7439-89-6	F420	0.010	mg/L	<0.050	u.s.	*****	*****	*****	*****
Lead, total	7439-92-1	E420	0.000050	mg/L	<0.000250	u.s.	*****	*****	*****	*****
Lithium, total	7439-93-2	F420	0.0010	mg/l	0.172	u.s.	*****	*****	*****	*****
Magnesium, total	7439-95-4	F420	0.0050	mg/l	49.2	u.s.	*****	*****	*****	*****
Manganese, total	7439-96-5	F420	0.00010	mg/L	0.0108	u.s.	*****	*****	*****	*****
Molybdenum, total	7439-98-7	E420	0.000050	mg/l	0.0126	u.s.	*****	*****	*****	*****
Nickel, total	7440-02-0	E420	0.00050	mg/l	<0.00250	u.s.	*****	*****	*****	*****
Phosphorus, total	7723-14-0	F420	0.050	mg/l	<0.250	u.s.	*****	*****	*****	*****
Potassium, total	7440-09-7	E420	0.050	mg/L	15.3	u.s.	*****	*****	*****	*****
Rubidium, total	7440-11-7	F420	0.00020	mg/l	0.00406	u.s.	*****	*****	*****	*****
Selenium, total	7782-49-2	E420	0.000050	mg/l	<0.000250	u.s.	*****	*****	*****	*****
Silicon, total	7440-21-3	E420	0.10	mg/l	8.18	u.s.	*****	*****	*****	*****
Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000050	u.s.	*****	*****	*****	*****
Sodium, total	7440-23-5	F420	0.050	mg/L	705	u.s.	*****	*****	*****	*****
Strontium, total	7440-24-6	E420	0.00020	mg/l	1.03	u.s.	*****	*****	*****	*****
Sulfur, total	7704-34-9	F420	0.50	mg/l	294	u.s.	*****	*****	*****	*****
Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00100	u.s.	*****	*****	*****	*****
Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000050	u.s.	*****	*****	*****	*****
Thorium, total	7440-29-1	E420	0.00010	mg/l	<0.00050	u.s.	*****	*****	*****	*****
Tin, total	7440-31-5	F420	0.00010	mg/l	<0.00050	u.s.	*****	*****	*****	*****
Titanium, total	7440-32-6	F420	0.00030	mg/L	<0.00150	u.s.	*****	*****	*****	*****
Tungsten, total	7440-33-7	F420	0.00010	mg/L	<0.00050	u.s.	*****	*****	*****	*****
Uranium, total	7440-61-1	E420	0.000010	mg/l	0.000177	u.s.	*****	*****	*****	*****



Analytical Results

Sub-Matrix: Water

(Matrix: Water)

Analyte	CAS Number	Method	LOR	Unit	Client sample ID	Client sampling date / time	Result	Units	Status	Status	Status	Status
					SK05GF0003 WTP Routine	25 Jan 2023 13:35						
Total Metals												
Vanadium, total	7440-62-2	E420	0.00050	mg/L			<0.00250	µg/L
Zinc, total	7440-66-6	E420	0.0030	mg/L			<0.0150	µg/L
Zirconium, total	7440-67-7	E420	0.00020	mg/L			<0.00100	µg/L
Dissolved Metals												
Calcium, dissolved	7440-70-2	E421	0.050	mg/L			99.8	mg/L
Iron, dissolved	7439-89-6	F421	0.030	mg/L			<0.050	µg/L
Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L			47.0	mg/L
Manganese, dissolved	7439-96-5	L421	0.00500	mg/L			0.00676	mg/L
Potassium, dissolved	7440-09-7	E421	0.050	mg/L			14.1	mg/L
Sodium, dissolved	7440-23-5	F421	0.050	mg/L			67.4	mg/L
Dissolved metals filtration location												
Disinfectant By-Products												
Chlorate	14866-68-3	F409 ClO3	0.010	mg/L			1.46	µg/L

Please refer to the General Comments section for an explanation of any qualifiers detected.

CERTIFICATE OF ANALYSIS

Work Order	: SK22300334	Page	: 1 of 5
Client	: Town of Shellbrook	Laboratory	: Saskatchewan - Environmental
Contact	: Karlina Cadieu	Account Manager	: Kimberley Head
Address	: 71 Main Street PO Box 40 Shellbrook SK Canada S0J 2E0	Address	: 819 58 Street East Saskatoon SK Canada S7K 6X5
Telephone	: 306-747-4900	Telephone	: +1 306 668 8370
Project	: Waterworks- Gen Chem/Health & Toxicity	Date Samples Received	: 30-Jan-2023 08:00
PO	: SK05GF0016	Date Analysis Commenced	: 30-Jan-2023
C-O-C number	: ----	Issue Date	: 03-Feb-2023 11:13
Sampler	: AB		
Site	: ----		
Quote number	: ----		
No. of samples received	: 1		
No. of samples analysed	: 1		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatories</i>	<i>Position</i>	<i>Laboratory Department</i>
Colby Bingham	Laboratory Supervisor	Inorganics, Saskatoon, Saskatchewan
Colby Bingham	Laboratory Supervisor	Metals, Saskatoon, Saskatchewan
Hedy Lai	Team Leader - Inorganics	Inorganics, Saskatoon, Saskatchewan
Jamiko Limdan	Laboratory Assistant	Metals, Saskatoon, Saskatchewan
Justin Jackson	Laboratory Analyst	Metals, Saskatoon, Saskatchewan
Kimberly Hanson	Laboratory Analyst	Metals, Saskatoon, Saskatchewan



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable references and methodology summaries. Reference methods may incorporate modifications to improve performance.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances
 LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
%	percent
µS/cm	microsiemens per centimetre
meq/L	milliequivalents per litre
mg/L	milligrams per litre
pH units	pH units

<: less than.
 >: greater than.
 Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.
 UNLESS OTHERWISE STATED ON SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
DLDS	Detection Limit Raised: Dilution required due to high Dissolved Solids / Electrical Conductivity.
SFP	Sample was filtered and preserved at the laboratory.



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID

Client sampling date / time

Analyte	CAS Number	Method	LOR	Unit	Client sample ID	Client sampling date / time	Result																
					SK05GF0016 WELL 10	25-Jan-2023 13:35	SK2300334-001																
Physical Tests																							
Hardness (as CaCO3), dissolved		EC100	0.50	mg/L			445																
Conductivity		E100	2.0	µS/cm			3290																
pH		E108	0.10	pH units			8.04																
Alkalinity, bicarbonate (as HCO3)	71-52-3	E290	1.0	mg/L			464																
Alkalinity, carbonate (as CO3)	3812-32-6	E290	1.0	mg/L			<1.0																
Alkalinity, hydroxide (as OH)	14280-30-9	E290	1.0	mg/L			<1.0																
Alkalinity, total (as CaCO3)		E290	2.0	mg/L			381																
Solids, total dissolved [TDS], calculated		EC103	1.0	mg/L			2200																
Anions and Nutrients																							
Chloride	16887-00-6	E235.Cl	0.50	mg/L			437																
Fluoride	16984-48-8	E235.F	0.020	mg/L			<0.400	plus															
Nitrate (as N)	14797-55-8	E235.NO3	0.020	mg/L			<0.400	plus															
Nitrite (as N)	14797-65-0	E235.NO2	0.010	mg/L			0.230																
Sulfate (as SO4)	14808-79-8	E235.SO4	0.30	mg/L			739																
Nitrate + Nitrite (as N)		EC235.N+N	0.0500	mg/L			<0.447																
Ion Balance																							
Anion sum		EC101	0.10	meq/L			35.3																
Cation sum		EC101	0.10	meq/L			36.0																
Ion balance (APHA)		EC101	0.01	%			0.98																
Ion balance (cations/anions)		EC101	0.010	%			102																
Total Metals																							
Aluminum, total	7429-90-5	E420	0.0030	mg/L			<0.0060	plus															
Antimony, total	7440-36-0	E420	0.00010	mg/L			<0.00020	plus															
Arsenic, total	7440-38-2	E420	0.00010	mg/L			0.00218																
Barium, total	7440-39-3	E420	0.00010	mg/L			0.00928																
Beryllium, total	7440-41-7	E420	0.000020	mg/L			<0.000040	plus															
Bismuth, total	7440-69-9	E420	0.000050	mg/L			<0.000100	plus															
Boron, total	7440-42-8	E420	0.010	mg/L			0.828																
Cadmium, total	7440-43-9	E420	0.0000050	mg/L			<0.0000100	plus															



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Client sample ID

Client sampling date / time

SK05GF0016 WELL 10	25-Jan-2023 13:35				
-----------------------	----------------------	--	--	--	--

Analyte	CAS Number	Method	LOR	Unit	Result				
Total Metals									
Calcium, total	7440-70-2	E420	0.050	mg/L	102				
Cesium, total	7440-46-2	E420	0.000010	mg/L	<0.000020	DUIS			
Chromium, total	7440-47-3	E420	0.00050	mg/L	<0.00050	DUIS			
Cobalt, total	7440-48-4	E420	0.00010	mg/L	0.00026				
Copper, total	7440-50-8	E420	0.00050	mg/L	<0.00100	DUIS			
Iron, total	7439-89-6	E420	0.010	mg/L	1.90				
Lead, total	7439-92-1	E420	0.000050	mg/L	0.000135				
Lithium, total	7439-93-2	E420	0.0010	mg/L	0.174				
Magnesium, total	7439-95-4	E420	0.0050	mg/L	47.1				
Manganese, total	7439-96-5	E420	0.00010	mg/L	0.0467				
Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.0133				
Nickel, total	7440-02-0	E420	0.00050	mg/L	0.00121				
Phosphorus, total	7723-14-0	E420	0.050	mg/L	0.299				
Potassium, total	7440-09-7	E420	0.050	mg/L	14.5				
Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00390				
Selenium, total	7782-49-2	E420	0.000050	mg/L	<0.000100	DUIS			
Silicon, total	7440-21-3	E420	0.10	mg/L	8.30				
Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000020	DUIS			
Sodium, total	7440-23-5	E420	0.050	mg/L	617				
Strontium, total	7440-24-6	E420	0.00020	mg/L	1.00				
Sulfur, total	7704-34-9	E420	0.50	mg/L	288				
Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00040	DUIS			
Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000020	DUIS			
Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00020	DUIS			
Tin, total	7440-31-5	E420	0.00010	mg/L	<0.00020	DUIS			
Titanium, total	7440-32-6	E420	0.00030	mg/L	<0.00060	DUIS			
Tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00020	DUIS			
Uranium, total	7440-61-1	E420	0.000010	mg/L	0.000156				
Vanadium, total	7440-62-2	E420	0.00050	mg/L	<0.00100	DUIS			
Zinc, total	7440-66-6	E420	0.0030	mg/L	<0.0060	DUIS			



Analytical Results

		Client sample ID				
Sub-Matrix: Water (Matrix: Water)		SK05GF0016 WELL 10				
		Client sampling date / time	25-Jan-2023 13:35			
Analyte	CAS Number	Method	LOR	Unit	Result	
Total Metals						
Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00040 <small>ML05</small>	
Dissolved Metals						
Calcium, dissolved	7440-70-2	E421	0.050	mg/L	103	
Iron, dissolved	7439-89-6	E421	0.030	mg/L	<0.030 <small>ML05</small>	
Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	45.6	
Manganese, dissolved	7439-96-5	E421	0.00500	mg/L	0.0443	
Potassium, dissolved	7440-09-7	E421	0.050	mg/L	14.0	
Sodium, dissolved	7440-23-5	E421	0.050	mg/L	615	
Dissolved metals filtration location						
Laboratory <small>SRM</small>						

Please refer to the General Comments section for an explanation of any qualifiers detected.

QUALITY CONTROL REPORT

Work Order	: SK2300334	Page	: 1 of 10
Client	: Town of Shellbrook	Laboratory	: Saskatoon - Environmental
Contact	: Karina Cadieu	Account Manager	: Kimberley Head
Address	: 71 Main Street PO Box 40 Shellbrook SK Canada S0J 2E0	Address	: 819 58 Street East Saskatoon, Saskatchewan Canada S7K 6X5
Telephone	:	Telephone	: +1 306 668 8370
Project	: Waterworks- Gen Chem/Health & Toxicity	Date Samples Received	: 30-Jan-2023 08:00
PO	: SK05GF0016	Date Analysis Commenced	: 30-Jan-2023
C-O-C number	: ----	Issue Date	: 03-Feb-2023 11:13
Sampler	: AB		
Site	: AB		
Quote number	: ----		
No. of samples received	: 1		
No. of samples analysed	: 1		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percent Difference (RPD) and Data Quality Objectives
- Matrix Spike (MS) Report; Recovery and Data Quality Objectives
- Method Blank (MB) Report; Recovery and Data Quality Objectives
- Laboratory Control Sample (LCS) Report; Recovery and Data Quality Objectives

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

<i>Signatory</i>	<i>Position</i>	<i>Laboratory Department</i>
Colby Bingham	Laboratory Supervisor	Saskatoon Inorganics, Saskatoon, Saskatchewan
Colby Bingham	Laboratory Supervisor	Saskatoon Metals, Saskatoon, Saskatchewan
Hedy Lai	Team Leader - Inorganics	Saskatoon Inorganics, Saskatoon, Saskatchewan
Janiko Lindain	Laboratory Assistant	Saskatoon Metals, Saskatoon, Saskatchewan
Justin Jackson		Saskatoon Metals, Saskatoon, Saskatchewan
Kimberly Hanson	Laboratory Analyst	Saskatoon Metals, Saskatoon, Saskatchewan



General Comments

The ALS Quality Control (QC) report is optionally provided to ALS clients upon request. ALS test methods include comprehensive QC checks with every analysis to ensure our high standards of quality are met. Each QC result has a known or expected target value, which is compared against predetermined Data Quality Objectives (DQOs) to provide confidence in the accuracy of associated test results. This report contains detailed results for all QC results applicable to this sample submission. Please refer to the ALS Quality Control Interpretation report (QCI) for applicable method references and methodology summaries.

Key :

- Anonymous = Refers to samples which are not part of this work order, but which formed part of the QC process lot.
- CAS Number = Chemical Abstracts Service number is a unique identifier assigned to discrete substances.
- DQO = Data Quality Objective.
- LOR = Limit of Reporting (detection limit).
- RPD = Relative Percent Difference
- # = Indicates a QC result that did not meet the ALS DQO.

Workorder Comments

Holding times are displayed as "....." if no guidance exists from CCME, Canadian provinces, or broadly recognized international references.



Laboratory Duplicate (DUP) Report

A Laboratory Duplicate (DUP) is a randomly selected intralaboratory replicate sample. Laboratory Duplicates provide information regarding method precision and sample heterogeneity. ALS DQOs for Laboratory Duplicates are expressed as test-specific limits for Relative Percent Difference (RPD), or as an absolute difference limit of 2 times the LOR for low concentration duplicates within ~ 4-10 times the LOR (cut-off is test-specific).

Sub-Matrix: Water

Laboratory Duplicate (DUP) Report

Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Physical Tests (QC Lot: 818427)											
SK2300332-001	Anonymous	pH	----	E108	0.10	pH units	7.94	7.94	0.0768%	3%	----
Physical Tests (QC Lot: 818428)											
SK2300332-001	Anonymous	Conductivity	----	E100	2.0	µS/cm	3530	3540	0.283%	10%	----
Physical Tests (QC Lot: 818429)											
SK2300332-001	Anonymous	Alkalinity, total (as CaCO3)	----	E290	2.0	mg/L	363	368	1.38%	20%	----
Anions and Nutrients (QC Lot: 818377)											
SK2300332-001	Anonymous	Chloride	16887-00-6	E235.Cl	10.0	mg/L	489	495	1.34%	20%	----
Anions and Nutrients (QC Lot: 818378)											
SK2300332-001	Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4	6.00	mg/L	757	761	0.557%	20%	----
Anions and Nutrients (QC Lot: 818379)											
SK2300332-001	Anonymous	Fluoride	16984-48-8	E235.F	0.400	mg/L	<0.400	<0.400	0	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 818380)											
SK2300332-001	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3	0.400	mg/L	<0.400	<0.400	0	Diff <2x LOR	----
Anions and Nutrients (QC Lot: 818381)											
SK2300332-001	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2	0.200	mg/L	0.210	0.224	0.014	Diff <2x LOR	----
Total Metals (QC Lot: 818955)											
RG3200081-001	Anonymous	Aluminum, total	7429-90-5	E420	0.0060	mg/L	0.0192	0.0178	0.0014	Diff <2x LOR	----
		Antimony, total	7440-36-0	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR	----
		Arsenic, total	7440-38-2	E420	0.00020	mg/L	0.00615	0.00583	5.38%	20%	----
		Barium, total	7440-39-3	E420	0.00020	mg/L	0.147	0.144	2.32%	20%	----
		Beryllium, total	7440-41-7	E420	0.000040	mg/L	<0.000040	<0.000040	0	Diff <2x LOR	----
		Bismuth, total	7440-69-9	E420	0.000100	mg/L	<0.000100	<0.000100	0	Diff <2x LOR	----
		Boron, total	7440-42-8	E420	0.020	mg/L	1.03	1.02	1.55%	20%	----
		Cadmium, total	7440-43-9	E420	0.0000100	mg/L	0.0000141	0.0000133	0.0000008	Diff <2x LOR	----
		Calcium, total	7440-70-2	E420	0.100	mg/L	301	315	4.38%	20%	----
		Cesium, total	7440-46-2	E420	0.000020	mg/L	0.000204	0.000222	8.32%	20%	----
		Chromium, total	7440-47-3	E420	0.00050	mg/L	0.00052	<0.00050	0.00002	Diff <2x LOR	----
		Cobalt, total	7440-48-4	E420	0.00020	mg/L	0.00029	0.00028	0.000004	Diff <2x LOR	----
		Copper, total	7440-50-8	E420	0.00100	mg/L	0.00282	0.00233	0.000008	Diff <2x LOR	----
		Iron, total	7439-89-6	E420	0.020	mg/L	0.160	0.158	0.002	Diff <2x LOR	----



Laboratory Duplicate (DUP) Report

Sub-Matrix: Water	Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	LOR	Unit	Original Result	Duplicate Result	RPD(%) or Difference	Duplicate Limits	Qualifier
Total Metals (QC Lot: 81895) - continued												
	RG2300081-001	Anonymous	Lead, total	7439-92-1	E420	0.000100	mg/L	0.00125	0.00126	0.829%	20%
			Lithium, total	7439-93-2	E420	0.0020	mg/L	0.0961	0.0937	2.57%	20%
			Magnesium, total	7439-95-4	E420	0.0100	mg/L	113	112	0.780%	20%
			Manganese, total	7439-96-5	E420	0.00020	mg/L	1.97	2.01	2.25%	20%
			Molybdenum, total	7439-98-7	E420	0.000100	mg/L	0.0344	0.0346	0.519%	20%
			Nickel, total	7440-02-0	E420	0.00100	mg/L	<0.00100	<0.00100	0	Diff <2x LOR
			Phosphorus, total	7723-14-0	E420	0.100	mg/L	1.71	1.73	0.919%	20%
			Potassium, total	7440-09-7	E420	0.100	mg/L	9.43	9.15	2.97%	20%
			Rubidium, total	7440-17-7	E420	0.00040	mg/L	0.00195	0.00205	0.00010	Diff <2x LOR
			Selenium, total	7782-49-2	E420	0.000100	mg/L	0.203	0.202	0.708%	20%
			Silicon, total	7440-21-3	E420	0.20	mg/L	11.6	11.2	2.93%	20%
			Silver, total	7440-22-4	E420	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR
			Sodium, total	7440-23-5	E420	0.100	mg/L	203	205	1.06%	20%
			Strontium, total	7440-24-6	E420	0.00040	mg/L	1.57	1.56	0.633%	20%
			Sulfur, total	7704-34-9	E420	1.00	mg/L	518	516	0.430%	20%
			Tellurium, total	13494-80-9	E420	0.00040	mg/L	<0.00040	<0.00040	0	Diff <2x LOR
			Thallium, total	7440-28-0	E420	0.000020	mg/L	<0.000020	<0.000020	0	Diff <2x LOR
			Thorium, total	7440-29-1	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR
			Tin, total	7440-31-5	E420	0.00020	mg/L	<0.00020	<0.00020	0	Diff <2x LOR
			Titanium, total	7440-32-6	E420	0.00060	mg/L	<0.00060	<0.00060	0	Diff <2x LOR
			Tungsten, total	7440-33-7	E420	0.00020	mg/L	0.00032	0.00032	0.000002	Diff <2x LOR
			Uranium, total	7440-61-1	E420	0.000020	mg/L	0.00215	0.00220	2.36%	20%
			Vanadium, total	7440-62-2	E420	0.00100	mg/L	0.00159	0.00150	0.00009	Diff <2x LOR
			Zinc, total	7440-66-6	E420	0.0060	mg/L	0.0176	0.0180	0.0004	Diff <2x LOR
			Zirconium, total	7440-67-7	E420	0.00040	mg/L	<0.00040	<0.00040	0	Diff <2x LOR
Dissolved Metals (QC Lot: 820277)												
	RG2300079-001	Anonymous	Calcium, dissolved	7440-70-2	E421	2.50	mg/L	544	580	1.18%	20%
			Iron, dissolved	7439-89-6	E421	0.500	mg/L	<0.500	<0.500	0	Diff <2x LOR
			Magnesium, dissolved	7439-95-4	E421	0.250	mg/L	215	212	1.43%	20%
			Manganese, dissolved	7439-96-5	E421	0.00500	mg/L	0.918	0.933	1.62%	20%
			Potassium, dissolved	7440-09-7	E421	2.50	mg/L	39.2	40.0	2.10%	20%
			Sodium, dissolved	7440-23-5	E421	2.50	mg/L	9250	9500	2.71%	20%



Method Blank (MB) Report

A Method Blank is an analyte-free matrix that undergoes sample processing identical to that carried out for test samples. Method Blank results are used to monitor and control for potential contamination from the laboratory environment and reagents. For most tests, the DCO for Method Blanks is for the result to be < LOR.

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Physical Tests (QCLot: 818428)						
Conductivity		E100	1	µS/cm	1.2	----
Physical Tests (QCLot: 818429)						
Alkalinity, total (as CaCO3)		E290	1	mg/L	<1.0	----
Anions and Nutrients (QCLot: 818377)						
Chloride	16887-00-6	E235.Cl	0.5	mg/L	<0.50	----
Anions and Nutrients (QCLot: 818378)						
Sulfate (as SO4)	14808-79-8	E235.SO4	0.3	mg/L	<0.30	----
Anions and Nutrients (QCLot: 818379)						
Fluoride	16984-48-8	E235.F	0.02	mg/L	<0.020	----
Anions and Nutrients (QCLot: 818380)						
Nitrate (as N)	14797-55-8	E235.NO3	0.02	mg/L	<0.020	----
Anions and Nutrients (QCLot: 818381)						
Nitrite (as N)	14797-65-0	E235.NO2	0.01	mg/L	<0.010	----
Total Metals (QCLot: 818955)						
Aluminum, total	7429-90-5	E420	0.003	mg/L	<0.0030	----
Antimony, total	7440-36-0	E420	0.0001	mg/L	<0.00010	----
Arsenic, total	7440-38-2	E420	0.0001	mg/L	<0.00010	----
Barium, total	7440-39-3	E420	0.0001	mg/L	<0.00010	----
Beryllium, total	7440-41-7	E420	0.00002	mg/L	<0.000020	----
Bismuth, total	7440-69-9	E420	0.00005	mg/L	<0.000050	----
Boron, total	7440-42-8	E420	0.01	mg/L	<0.010	----
Cadmium, total	7440-43-9	E420	0.000005	mg/L	<0.0000050	----
Calcium, total	7440-70-2	E420	0.05	mg/L	<0.050	----
Cesium, total	7440-46-2	E420	0.00001	mg/L	<0.000010	----
Chromium, total	7440-47-3	E420	0.0005	mg/L	<0.00050	----
Cobalt, total	7440-48-4	E420	0.0001	mg/L	<0.00010	----
Copper, total	7440-50-8	E420	0.0005	mg/L	<0.00050	----
Iron, total	7439-89-6	E420	0.01	mg/L	<0.010	----
Lead, total	7439-92-1	E420	0.00005	mg/L	<0.000050	----
Lithium, total	7439-93-2	E420	0.001	mg/L	<0.0010	----
Magnesium, total	7439-95-4	E420	0.005	mg/L	<0.0050	----



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Result	Qualifier
Total Metals (QCLot: 818955) - continued						
Manganese, total	7439-96-5	E420	0.0001	mg/L	<0.00010
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	<0.000050
Nickel, total	7440-02-0	E420	0.0005	mg/L	<0.00050
Phosphorus, total	7723-14-0	E420	0.05	mg/L	<0.050
Potassium, total	7440-09-7	E420	0.05	mg/L	<0.050
Rubidium, total	7440-17-7	E420	0.0002	mg/L	<0.00020
Selenium, total	7782-49-2	E420	0.00005	mg/L	<0.000050
Silicon, total	7440-21-3	E420	0.1	mg/L	<0.10
Silver, total	7440-22-4	E420	0.00001	mg/L	<0.000010
Sodium, total	7440-23-5	E420	0.05	mg/L	<0.050
Strontium, total	7440-24-6	E420	0.0002	mg/L	<0.00020
Sulfur, total	7704-34-9	E420	0.5	mg/L	<0.50
Tellurium, total	13494-80-9	E420	0.0002	mg/L	<0.00020
Thallium, total	7440-28-0	E420	0.00001	mg/L	<0.000010
Thorium, total	7440-29-1	E420	0.0001	mg/L	<0.00010
Tin, total	7440-31-5	E420	0.0001	mg/L	<0.00010
Titanium, total	7440-32-6	E420	0.0003	mg/L	<0.00030
Tungsten, total	7440-33-7	E420	0.0001	mg/L	<0.00010
Uranium, total	7440-61-1	E420	0.00001	mg/L	<0.000010
Vanadium, total	7440-62-2	E420	0.0005	mg/L	<0.00050
Zinc, total	7440-66-6	E420	0.003	mg/L	<0.0030
Zirconium, total	7440-67-7	E420	0.0002	mg/L	<0.00020
Dissolved Metals (QCLot: 820277)						
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	<0.050
Iron, dissolved	7439-89-6	E421	0.01	mg/L	<0.010
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	<0.0050
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	<0.00010
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	<0.050
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	<0.050



Laboratory Control Sample (LCS) Report

A Laboratory Control Sample (LCS) is an analyte-free matrix that has been fortified (spiked) with test analytes at known concentration and processed in an identical manner to test samples. LCS results are expressed as percent recovery, and are used to monitor and control test method accuracy and precision, independent of test sample matrix.

Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Concentration	Laboratory Control Sample (LCS) Report			Qualifier
						LCS	Recovery (%)	Recovery Limits (%)	
Physical Tests (QCLot: 818427)									
pH		E108	---	pH units	7 pH units	99.9	98.6	101	---
Physical Tests (QCLot: 818428)									
Conductivity		E100	1	µS/cm	1000 µS/cm	100	90.0	110	---
Physical Tests (QCLot: 818429)									
Alkalinity, total (as CaCO3)		E290	1	mg/L	500 mg/L	99.7	85.0	115	---
Anions and Nutrients (QCLot: 818377)									
Chloride		E235 Cl	0.5	mg/L	100 mg/L	100	90.0	110	---
Anions and Nutrients (QCLot: 818378)									
Sulfate (as SO4)		E235 SO4	0.3	mg/L	100 mg/L	102	90.0	110	---
Anions and Nutrients (QCLot: 818379)									
Fluoride		E235 F	0.02	mg/L	1 mg/L	100	90.0	110	---
Anions and Nutrients (QCLot: 818380)									
Nitrate (as N)		E235 NO3	0.02	mg/L	2.5 mg/L	101	90.0	110	---
Anions and Nutrients (QCLot: 818381)									
Nitrite (as N)		E235 NO2	0.01	mg/L	0.5 mg/L	98.6	90.0	110	---
Total Metals (QCLot: 818955)									
Aluminum, total		E420	0.003	mg/L	2 mg/L	106	80.0	120	---
Antimony, total		E420	0.0001	mg/L	1 mg/L	104	80.0	120	---
Arsenic, total		E420	0.0001	mg/L	1 mg/L	109	80.0	120	---
Barium, total		E420	0.0001	mg/L	0.25 mg/L	97.8	80.0	120	---
Beryllium, total		E420	0.00002	mg/L	0.1 mg/L	100	80.0	120	---
Bismuth, total		E420	0.00005	mg/L	1 mg/L	103	80.0	120	---
Boron, total		E420	0.01	mg/L	1 mg/L	97.2	80.0	120	---
Cadmium, total		E420	0.000005	mg/L	0.1 mg/L	103	80.0	120	---
Calcium, total		E420	0.05	mg/L	50 mg/L	101	80.0	120	---
Cesium, total		E420	0.00001	mg/L	0.05 mg/L	103	80.0	120	---
Chromium, total		E420	0.00005	mg/L	0.25 mg/L	104	80.0	120	---
Cobalt, total		E420	0.0001	mg/L	0.25 mg/L	103	80.0	120	---
Copper, total		E420	0.00005	mg/L	0.25 mg/L	104	80.0	120	---
Iron, total		E420	0.01	mg/L	1 mg/L	105	80.0	120	---



Sub-Matrix: Water

Analyte	CAS Number	Method	LOR	Unit	Laboratory Control Sample (LCS) Report				
					Concentration	Recovery (%)	Recovery Limits (%)		Qualifier
							LCS	Low	
Total Metals (QCLot: 818955) - continued									
Lead, total	7439-92-1	E420	0.00005	mg/L	0.5 mg/L	104	80.0	120
Lithium, total	7439-93-2	E420	0.001	mg/L	0.25 mg/L	102	80.0	120
Magnesium, total	7439-95-4	E420	0.005	mg/L	50 mg/L	102	80.0	120
Manganese, total	7439-96-5	E420	0.0001	mg/L	0.25 mg/L	106	80.0	120
Molybdenum, total	7439-98-7	E420	0.00005	mg/L	0.25 mg/L	105	80.0	120
Nickel, total	7440-02-0	E420	0.0005	mg/L	0.5 mg/L	103	80.0	120
Phosphorus, total	7723-14-0	E420	0.05	mg/L	10 mg/L	104	80.0	120
Potassium, total	7440-09-7	E420	0.05	mg/L	50 mg/L	108	80.0	120
Rubidium, total	7440-17-7	E420	0.0002	mg/L	0.1 mg/L	105	80.0	120
Selenium, total	7782-49-2	E420	0.00005	mg/L	1 mg/L	102	80.0	120
Silicon, total	7440-21-3	E420	0.1	mg/L	10 mg/L	108	80.0	120
Silver, total	7440-22-4	E420	0.00001	mg/L	0.1 mg/L	96.2	80.0	120
Sodium, total	7440-23-5	E420	0.05	mg/L	50 mg/L	110	80.0	120
Strontium, total	7440-24-6	E420	0.0002	mg/L	0.25 mg/L	100	80.0	120
Sulfur, total	7704-34-9	E420	0.5	mg/L	50 mg/L	100	80.0	120
Tellurium, total	13494-80-9	E420	0.0002	mg/L	0.1 mg/L	104	80.0	120
Thallium, total	7440-28-0	E420	0.00001	mg/L	1 mg/L	105	80.0	120
Thorium, total	7440-29-1	E420	0.0001	mg/L	0.1 mg/L	101	80.0	120
Tin, total	7440-31-5	E420	0.0001	mg/L	0.5 mg/L	101	80.0	120
Titanium, total	7440-32-6	E420	0.0003	mg/L	0.25 mg/L	103	80.0	120
Tungsten, total	7440-33-7	E420	0.0001	mg/L	0.1 mg/L	106	80.0	120
Uranium, total	7440-61-1	E420	0.00001	mg/L	0.005 mg/L	102	80.0	120
Vanadium, total	7440-62-2	E420	0.0005	mg/L	0.5 mg/L	104	80.0	120
Zinc, total	7440-66-6	E420	0.003	mg/L	0.5 mg/L	108	80.0	120
Zirconium, total	7440-67-7	E420	0.0002	mg/L	0.1 mg/L	105	80.0	120
Dissolved Metals (QCLot: 820277)									
Calcium, dissolved	7440-70-2	E421	0.05	mg/L	50 mg/L	105	80.0	120
Iron, dissolved	7439-89-6	E421	0.01	mg/L	1 mg/L	105	80.0	120
Magnesium, dissolved	7439-95-4	E421	0.005	mg/L	50 mg/L	108	80.0	120
Manganese, dissolved	7439-96-5	E421	0.0001	mg/L	0.25 mg/L	104	80.0	120
Potassium, dissolved	7440-09-7	E421	0.05	mg/L	50 mg/L	102	80.0	120
Sodium, dissolved	7440-23-5	E421	0.05	mg/L	50 mg/L	106	80.0	120



Matrix Spike (MS) Report

A Matrix Spike (MS) is a randomly selected intra-laboratory replicate sample that has been fortified (spiked) with test analytes at known concentration, and processed in an identical manner to test samples. Matrix Spikes provide information regarding analyte recovery and potential matrix effects. MS DOQ exceedances due to sample matrix may sometimes be unavoidable, in such cases, test results for the associated sample (or similar samples) may be subject to bias. ND – Recovery not determined, background level >= 1X spike level.

Sub-Matrix: Water

Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Matrix Spike (MS) Report				
					Concentration	Target	Recovery (%) MS	Recovery Limits (%) Low	High

Anions and Nutrients (QCLOt: 818377)										
SK2300332-001	Anonymous	Chloride	16887-00-6	E235.Cl	ND mg/L	100 mg/L	ND	75.0	125	****

Anions and Nutrients (QCLOt: 818378)										
SK2300332-001	Anonymous	Sulfate (as SO4)	14808-79-8	E235.SO4	ND mg/L	100 mg/L	ND	75.0	125	****

Anions and Nutrients (QCLOt: 818379)										
SK2300332-001	Anonymous	Fluoride	16984-48-8	E235.F	0.921 mg/L	1 mg/L	92.1	75.0	125	****

Anions and Nutrients (QCLOt: 818380)										
SK2300332-001	Anonymous	Nitrate (as N)	14797-55-8	E235.NO3	2.49 mg/L	2.5 mg/L	99.5	75.0	125	****

Anions and Nutrients (QCLOt: 818381)										
SK2300332-001	Anonymous	Nitrite (as N)	14797-65-0	E235.NO2	0.433 mg/L	0.5 mg/L	98.6	75.0	125	****

Total Metals (QCLOt: 818955)										
RG2300081-002	Anonymous	Aluminum, total	7429-90-5	E420	0.198 mg/L	0.2 mg/L	98.8	70.0	130	****
		Antimony, total	7440-36-0	E420	0.0213 mg/L	0.02 mg/L	106	70.0	130	****
		Arsenic, total	7440-38-2	E420	0.0205 mg/L	0.02 mg/L	103	70.0	130	****
		Barium, total	7440-39-3	E420	ND mg/L	0.02 mg/L	ND	70.0	130	****
		Beryllium, total	7440-41-7	E420	0.0367 mg/L	0.04 mg/L	91.7	70.0	130	****
		Bismuth, total	7440-69-9	E420	0.00910 mg/L	0.01 mg/L	91.0	70.0	130	****
		Boron, total	7440-42-8	E420	ND mg/L	0.1 mg/L	ND	70.0	130	****
		Cadmium, total	7440-43-9	E420	0.00397 mg/L	0.004 mg/L	99.3	70.0	130	****
		Calcium, total	7440-70-2	E420	ND mg/L	4 mg/L	ND	70.0	130	****
		Cesium, total	7440-46-2	E420	0.00994 mg/L	0.01 mg/L	99.4	70.0	130	****
		Chromium, total	7440-47-3	E420	0.0405 mg/L	0.04 mg/L	101	70.0	130	****
		Cobalt, total	7440-48-4	E420	0.0195 mg/L	0.02 mg/L	97.6	70.0	130	****
		Copper, total	7440-50-8	E420	0.0192 mg/L	0.02 mg/L	96.0	70.0	130	****
		Iron, total	7439-89-6	E420	2.01 mg/L	2 mg/L	100	70.0	130	****
		Lead, total	7439-92-1	E420	0.0188 mg/L	0.02 mg/L	94.0	70.0	130	****
		Lithium, total	7439-93-2	E420	0.0868 mg/L	0.1 mg/L	86.8	70.0	130	****
		Magnesium, total	7439-95-4	E420	ND mg/L	1 mg/L	ND	70.0	130	****
		Manganese, total	7439-96-5	E420	ND mg/L	0.02 mg/L	ND	70.0	130	****
		Molybdenum, total	7439-98-7	E420	ND mg/L	0.02 mg/L	ND	70.0	130	****



Sub-Matrix: Water

Laboratory sample ID	Client sample ID	Analyte	CAS Number	Method	Matrix Spike (MS) Report					
					Concentration	Target	Recovery (%)	MS	Low	High
Total Metals (QCLot: 818955) - continued										
RG2300081-002	Anonymous	Nickel, total	7440-02-0	E420	0.0394 mg/L	0.04 mg/L	98.5	70.0	130	
		Phosphorus, total	7723-14-0	E420	10.4 mg/L	10 mg/L	104	70.0	130	
		Potassium, total	7440-09-7	E420	ND mg/L	4 mg/L	ND	70.0	130	
		Rubidium, total	7440-17-7	E420	0.0188 mg/L	0.02 mg/L	94.0	70.0	130	
		Selenium, total	7782-49-2	E420	ND mg/L	0.04 mg/L	ND	70.0	130	
		Silicon, total	7440-21-3	E420	ND mg/L	10 mg/L	ND	70.0	130	
		Silver, total	7440-22-4	E420	0.00382 mg/L	0.004 mg/L	95.5	70.0	130	
		Sodium, total	7440-23-5	E420	ND mg/L	2 mg/L	ND	70.0	130	
		Strontium, total	7440-24-6	E420	ND mg/L	0.02 mg/L	ND	70.0	130	
		Sulfur, total	7704-34-9	E420	ND mg/L	20 mg/L	ND	70.0	130	
		Tellurium, total	13494-80-9	E420	0.0442 mg/L	0.04 mg/L	111	70.0	130	
		Thallium, total	7440-28-0	E420	0.00380 mg/L	0.004 mg/L	95.0	70.0	130	
		Thorium, total	7440-29-1	E420	0.0193 mg/L	0.02 mg/L	96.5	70.0	130	
		Tin, total	7440-31-5	E420	0.0213 mg/L	0.02 mg/L	106	70.0	130	
		Titanium, total	7440-32-6	E420	0.0457 mg/L	0.04 mg/L	114	70.0	130	
		Tungsten, total	7440-33-7	E420	0.0216 mg/L	0.02 mg/L	108	70.0	130	
		Uranium, total	7440-61-1	E420	0.00383 mg/L	0.004 mg/L	95.8	70.0	130	
		Vanadium, total	7440-62-2	E420	0.105 mg/L	0.1 mg/L	105	70.0	130	
		Zinc, total	7440-66-6	E420	0.387 mg/L	0.4 mg/L	96.8	70.0	130	
		Zirconium, total	7440-67-7	E420	0.0425 mg/L	0.04 mg/L	106	70.0	130	
Dissolved Metals (QCLot: 820277)										
SK2300325-001	Anonymous	Calcium, dissolved	7440-70-2	E421	ND mg/L	4 mg/L	ND	70.0	130	
		Iron, dissolved	7439-89-6	E421	2.13 mg/L	2 mg/L	107	70.0	130	
		Magnesium, dissolved	7439-95-4	E421	ND mg/L	1 mg/L	ND	70.0	130	
		Manganese, dissolved	7439-96-5	E421	ND mg/L	0.02 mg/L	ND	70.0	130	
		Potassium, dissolved	7440-09-7	E421	ND mg/L	4 mg/L	ND	70.0	130	
		Sodium, dissolved	7440-23-5	E421	ND mg/L	2 mg/L	ND	70.0	130	



www.alslab.com

Chain of Custody (COC) / Analytical Request Form

Canada Toll Free: 1 800 668 9878

COC Number: 22 -

Page of

Environmental Division
Saskatoon
Work Order Reference
SK2300334

JRE



Telephone : 1 308 668 8370

Contact and company name below will appear on the final report

Reports / Recipients

Turnaround Time (TAT) Request

Select Report Format: PDF EXCEL EDP (DIGITAL)

Merge QC/QCI Reports with COA YES NO N/A

Compare Results to Criteria on Report - provide details below if box checked

Select Distribution: EMAIL MAIL FAX

Email 1 or Fax as listed in quote

Email 2

Email 3

Invoice Recipients

Select Invoice Distribution: EMAIL MAIL FAX

Email 1 or Fax as listed in quote

Email 2

Invoice Recipients

Select Invoice Distribution: EMAIL MAIL FAX

Email 1 or Fax as listed in quote

Email 2

Email 3

Email 4

Email 5

Email 6

Email 7

Email 8

Email 9

Email 10

Email 11

Email 12

Email 13

Email 14

Email 15

Email 16

Email 17

Email 18

Email 19

Email 20

Email 21

Email 22

Email 23

Email 24

Email 25

Email 26

Email 27

Email 28

Email 29

Email 30

Email 31

Email 32

Email 33

Email 34

Email 35

Email 36

Oil and Gas Required Fields (client use)

AFER/Center: PO#

Major/Minor Code: Routing Code:

Requestioner: Location:

ALS Contact: Kimberley Head Sampler: *PKD*

ALS Lab Work Order # (ALS use only):

ALS Sample # (ALS use only):

Sample Identification and/or Coordinates (This description will appear on the report)

Date (dd-mm-yy)

Time (hh:mm)

Sample Type

General Chemical

Total Metals

Free Chlorine (mg/L) WTP Field Data

Total Chlorine (mg/L) WTP Field Data

Turbidity (NTU) WTP Field Data

SAMPLES ON HOLD

EXTENDED STORAGE REQUIRED

SUSPECTED HAZARD (see notes)

NUMBER OF CONTAINERS

General Chemical

Total Metals

Free Chlorine (mg/L) WTP Field Data

Total Chlorine (mg/L) WTP Field Data

Turbidity (NTU) WTP Field Data

SAMPLES ON HOLD

EXTENDED STORAGE REQUIRED

SUSPECTED HAZARD (see notes)

NUMBER OF CONTAINERS

General Chemical

Total Metals

Free Chlorine (mg/L) WTP Field Data

Total Chlorine (mg/L) WTP Field Data

Turbidity (NTU) WTP Field Data

SAMPLES ON HOLD

EXTENDED STORAGE REQUIRED

SUSPECTED HAZARD (see notes)

NUMBER OF CONTAINERS

ALS Sample # (ALS use only)	Sample Identification and/or Coordinates (This description will appear on the report)	Date (dd-mm-yy)	Time (hh:mm)	Sample Type	General Chemical	Total Metals	Free Chlorine (mg/L) WTP Field Data	Total Chlorine (mg/L) WTP Field Data	Turbidity (NTU) WTP Field Data	SAMPLES ON HOLD	EXTENDED STORAGE REQUIRED	SUSPECTED HAZARD (see notes)
SK05	GF0016 Well 10	25/06/23	1335	WELL WATER								

Drinking Water (DW) Samples¹ (client use)

Are samples taken from a Regulated DW System? YES NO

Are samples for human consumption/ use? YES NO

Notes / Specify Limits for result evaluation by selecting from drop-down below (Excel COC only)

Shipping Method: NONE ICE ICE PACKS FROZEN COOLING MATTRES

Submission Comments Identified on Sample Receipt Notification: YES NO

SHIPMENT RELEASE (client use)

INITIAL SHIPMENT RECEPTION (ALS use only)

FINAL SHIPMENT RECEPTION (ALS use only)

DATE OF WORK PAGE FOR ALS LOCATIONS AND SAMPLING INFORMATION

WHITE - LABORATORY COPY

YELLOW - CLIENT COPY

Failure to complete all portions of this form may delay analysis. Please fill in this form LEGIBLY. By the use of this form the user acknowledges and agrees with the Terms and Conditions as specified on the back page of the white - report copy.

1. If any water samples are taken from a Regulated Drinking Water (DW) System, please submit using an authorized DW COC form.



CERTIFICATE OF ANALYSIS

Work Order	: SK2300333	Page	: 1 of 5
Client	: Town of Shellbrook	Laboratory	: Saskatoon - Environmental
Contact	: Karlina Cadieu	Account Manager	: Kimberley Head
Address	: 71 Main Street PO Box 40 Shellbrook SK Canada S0J 2E0	Address	: 819 58 Street East Saskatoon SK Canada S7K 6X5
Telephone	: 306-747-4900	Telephone	: +1 306 668 8370
Project	: Waterworks- Gen Chem/Health & Toxicity	Date Samples Received	: 30-Jan-2023 08:00
PO	: SK05GFD016	Date Analysis Commenced	: 30-Jan-2023
C-O-C number	: ----	Issue Date	: 03-Feb-2023 11:13
Sampler	: AB		
Site	: ----		
Quote number	: ----		
No. of samples received	: 1		
No. of samples analysed	: 1		

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
 - Analytical Results
- Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QC Interpretive report to assist with Quality Review and Sample Receipt Notification (SRN).

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is conducted in accordance with US FDA 21 CFR Part 11.

Signatories	Position	Laboratory Department
Colby Bingham	Laboratory Supervisor	Inorganics, Saskatoon, Saskatchewan
Colby Bingham	Laboratory Supervisor	Metals, Saskatoon, Saskatchewan
Hedy Lai	Team Leader - Inorganics	Inorganics, Saskatoon, Saskatchewan
Janiko Lindain	Laboratory Assistant	Metals, Saskatoon, Saskatchewan
Justin Jackson		Metals, Saskatoon, Saskatchewan
Kimberly Hanson	Laboratory Analyst	Metals, Saskatoon, Saskatchewan



General Comments

The analytical methods used by ALS are developed using internationally recognized reference methods (where available), such as those published by US EPA, APHA, Standard Methods, ASTM, ISO, Environment Canada, BC MOE, and Ontario MOE. Refer to the ALS Quality Control Interpretive report (QCI) for applicable reference and methodology summaries. Reference methods may incorporate modifications to improve performance.
 Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.
 Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.
 Please refer to Quality Control Interpretive report (QCI) for information regarding Holding Time compliance.

Key : CAS Number: Chemical Abstracts Services number is a unique identifier assigned to discrete substances
 LOR: Limit of Reporting (detection limit).

Unit	Description
-	no units
%	percent
µS/cm	microsiemens per centimetre
meq/L	milliequivalents per litre
mg/L	milligrams per litre
pH units	pH units

<: less than.
 >: greater than.
 Surrogate: An analyte that is similar in behavior to target analyte(s), but that does not occur naturally in environmental samples. For applicable tests, surrogates are added to samples prior to analysis as a check on recovery.

Test results reported relate only to the samples as received by the laboratory.
 UNLESS OTHERWISE STATED ON SRN or QCI Report, ALL SAMPLES WERE RECEIVED IN ACCEPTABLE CONDITION.

Qualifiers

Qualifier	Description
DLDS	Detection Limit Raised: Dilution required due to high Dissolved Solids / Electrical Conductivity.
SFP	Sample was filtered and preserved at the laboratory.



Analytical Results

Sub-Matrix: Water

(Matrix: Water)

Client sample ID

Client sampling date / time

SK05GF0016
WELL 11

25-Jan-2023
13:35

Analyte	CAS Number	Method	LOR	Unit	Result					
					SK2300333-001					

Physical Tests										
Hardness (as CaCO ₃), dissolved		EC100	0.50	mg/L	465					
Conductivity		E100	2.0	µS/cm	3510					
pH		E108	0.10	pH units	7.97					
Alkalinity, bicarbonate (as HCO ₃)	71-52-3	E290	1.0	mg/L	467					
Alkalinity, carbonate (as CO ₃)	3812-32-6	E290	1.0	mg/L	<1.0					
Alkalinity, hydroxide (as OH)	14280-30-9	E290	1.0	mg/L	<1.0					
Alkalinity, total (as CaCO ₃)		E290	2.0	mg/L	383					
Solids, total dissolved [TDS], calculated		EC103	1.0	mg/L	2310					

Anions and Nutrients										
Chloride	16887-00-6	E235.Cl	0.50	mg/L	463					
Fluoride	16984-48-8	E235.F	0.020	mg/L	<0.400	µMUS				
Nitrate (as N)	14797-55-8	E235.NO3	0.020	mg/L	<0.400	µMUS				
Nitrite (as N)	14797-65-0	E235.NO2	0.010	mg/L	0.225					
Sulfate (as SO ₄)	14808-79-8	E235.SO4	0.30	mg/L	784					
Nitrate + Nitrite (as N)		EC235.N+H	0.0500	mg/L	<0.447					

Ion Balance										
Anion sum		EC101	0.10	meq/L	37.0					
Cation sum		EC101	0.10	meq/L	37.4					
Ion balance (APHA)		EC101	0.01	%	0.54					
Ion balance (cations/anions)		EC101	0.010	%	101					

Total Metals										
Aluminum, total	7429-90-5	E420	0.0030	mg/L	<0.0150	µMUS				
Antimony, total	7440-36-0	E420	0.00010	mg/L	<0.00050	µMUS				
Arsenic, total	7440-38-2	E420	0.00010	mg/L	0.00240					
Barium, total	7440-39-3	E420	0.00010	mg/L	0.0103					
Beryllium, total	7440-41-7	E420	0.000020	mg/L	<0.000100	µMUS				
Bismuth, total	7440-69-9	E420	0.000050	mg/L	<0.000250	µMUS				
Boron, total	7440-42-8	E420	0.010	mg/L	0.863					
Cadmium, total	7440-43-9	E420	0.0000050	mg/L	<0.0000250	µMUS				



Analytical Results

Sub-Matrix: Water
 (Matrix: Water)

Analyte	CAS Number	Method	LOR	Unit	Client sample ID	Client sampling date / time	Result	Result	Result	Result	Result
					SK05GF0016 WELL 11	25-Jan-2023 13:35	SK2300333-001	Result	Result	Result	Result

Total Metals											
Analyte	CAS Number	Method	LOR	Unit	SK05GF0016 WELL 11	25-Jan-2023 13:35	SK2300333-001	Result	Result	Result	Result
Calcium, total	7440-70-2	E420	0.050	mg/L	103						
Cesium, total	7440-46-2	E420	0.000010	mg/L	<0.000050	uLBS					
Chromium, total	7440-47-3	E420	0.00050	mg/L	<0.00050	uLBS					
Cobalt, total	7440-48-4	E420	0.00010	mg/L	<0.00050	uLBS					
Copper, total	7440-50-8	E420	0.00050	mg/L	<0.00250	uLBS					
Iron, total	7439-89-6	E420	0.010	mg/L	2.17						
Lead, total	7439-92-1	E420	0.000050	mg/L	<0.000250	uLBS					
Lithium, total	7439-93-2	E420	0.0010	mg/L	0.178						
Magnesium, total	7439-95-4	E420	0.0050	mg/L	48.5						
Manganese, total	7439-96-5	E420	0.00010	mg/L	0.0586						
Molybdenum, total	7439-98-7	E420	0.000050	mg/L	0.0120						
Nickel, total	7440-02-0	E420	0.00050	mg/L	<0.00250	uLBS					
Phosphorus, total	7723-14-0	E420	0.050	mg/L	<0.250	uLBS					
Potassium, total	7440-09-7	E420	0.050	mg/L	14.8						
Rubidium, total	7440-17-7	E420	0.00020	mg/L	0.00407						
Selenium, total	7782-49-2	E420	0.000050	mg/L	<0.000250	uLBS					
Silicon, total	7440-21-3	E420	0.10	mg/L	8.30						
Silver, total	7440-22-4	E420	0.000010	mg/L	<0.000050	uLBS					
Sodium, total	7440-23-5	E420	0.050	mg/L	642						
Strontium, total	7440-24-6	E420	0.00020	mg/L	0.974						
Sulfur, total	7704-34-9	E420	0.50	mg/L	300						
Tellurium, total	13494-80-9	E420	0.00020	mg/L	<0.00100	uLBS					
Thallium, total	7440-28-0	E420	0.000010	mg/L	<0.000050	uLBS					
Thorium, total	7440-29-1	E420	0.00010	mg/L	<0.00050	uLBS					
Tin, total	7440-31-5	E420	0.00010	mg/L	<0.00050	uLBS					
Titanium, total	7440-32-6	E420	0.00030	mg/L	<0.00150	uLBS					
Tungsten, total	7440-33-7	E420	0.00010	mg/L	<0.00050	uLBS					
Uranium, total	7440-61-1	E420	0.000010	mg/L	0.000165	uLBS					
Vanadium, total	7440-62-2	E420	0.00050	mg/L	<0.00250	uLBS					
Zinc, total	7440-66-6	E420	0.0030	mg/L	<0.0150	uLBS					



Analytical Results

Sub-Matrix: Water

Client sample ID

(Matrix: Water)

Analyte	CAS Number	Method	LOR	Unit	Client sampling date / time		Result					
					SK05GF0016 WELL 11	25-Jan-2023 13:35						
Total Metals												
Zirconium, total	7440-67-7	E420	0.00020	mg/L	<0.00100	0.005						
Dissolved Metals												
Calcium, dissolved	7440-70-2	E421	0.050	mg/L	106							
Iron, dissolved	7439-89-6	E421	0.030	mg/L	<0.050	NDNS						
Magnesium, dissolved	7439-95-4	E421	0.0050	mg/L	48.6							
Manganese, dissolved	7439-96-5	E421	0.00500	mg/L	0.0534							
Potassium, dissolved	7440-09-7	E421	0.050	mg/L	14.1							
Sodium, dissolved	7440-23-5	E421	0.050	mg/L	638							
Dissolved metals filtration location												
		EP421				Laboratory	SP					

Please refer to the General Comments section for an explanation of any qualifiers detected.